Kissed by Nature

BUILDING COVENANT OUTLINE



CONTENTS

- 5 The Fortress Advantage
- 6 Covenant approval process
- 8 Lot design requirements overview
- 10 Siting your home
- 12 Boundary setbacks for lots under 600m²
- 14 Boundary setbacks for lots 600m² and above
- 16 Building style
- 18 Vehicle and vessel accommodation
- 20 Roofing
- 22 External fixtures
- 24 Landscape design
- 26 Boundary fencing
- 30 Retaining walls
- 30 Resale

Nothing compares to The Outlook



The Outlook provides the perfect canvas for you to bring your dream home to life. Set amongst the backdrop of a World Heritage National Park, The Outlook is a niche residential community providing a range of elevated home sites with panoramic views whilst providing privacy with less neighbours and more rainforest.

This building covenant outline summarises housing and landscape requirements for residential lots in order to build great streetscapes that we can all proudly call home. The outline plays an essential role in assisting you to plan and design your dream home specific to your lifestyle with the bonus of capturing the best that nature has to offer.

The Fortress Group has consistently achieved high standards of residential development through building covenants making many families happy that they chose a Fortress Community Development.

BUTLOK

At Fortress Group we create more than just a place to live, we create a connection to the environment and the community





The Fortress Advantage

Building covenants set the standard towards optimising the street appeal of your neighbourhood as well as ensuring your home is well planned, attractive and remains a valuable asset over time.

For your benefit, Fortress has meticulously planned, designed and built your lot so that your Builder can best utilise natural light into your home and minimise afternoon heat load, by pre-determining the location of non-habitable space such as the garage.

For lots under 600m², you are required to build to a nominated side boundary for non-habitable rooms, maximising your backyard.

We require you to build within 12 months from settlement to limit neighbourhood disturbance. Occupancy is restricted until the lot is fenced and landscaped for child and pet safety.

Street trees are installed after the majority of homes are built within each land release, to give them every chance of maturing and the neighbourhood becoming a leafy green place.



Covenant approval process



cins (30 Sinis

Sveriden Plaza Future Childcare

UTLOOK

Covenant approval process

The covenant approval process must be adhered to.

- After speaking with one of our Estate Managers and before purchasing a lot, ensure that you speak to our **builder partners** to match your house space requirements with the land geometry and building covenants. The building covenant is a separate document to this outline and has been issued to most Cairns Builders.
- 2. After settlement of the land, your **Builder prepares working drawings** of the proposed home for Covenant Approval. The **Covenant Application** documents must be professional, dimensioned, to scale and include:
 - A **site plan** demonstrating compliance with boundary setbacks, earthworks complete with levels and ancillary structure requirements;
 - A house **floor plan** with area calculations to demonstrate compliance with minimum square meterage requirements;
 - Building **elevations** demonstrating compliance of roof pitch, façade treatments and minimum width requirements;
 - A **landscape plan and front fence elevations** (if front fence is desired) inclusive of materials and configuration of letterbox, fencing and retaining walls; and
 - A completed Land Owner signed Application for Building Covenant Approval Checklist as provided by the Estate Manager.
- **3.** The Builder or the **Land Owner submits the working drawings** to the Estate Manager who will review for completeness and forward the documents for approval to the Covenant Review Panel.
- 4. The Covenant Review Panel will write to the Land Owner regarding Covenant Approval or changes that need to be made before approval can be granted by the Developer. Building Approval from Cairns Regional Council or a Building Certifier can now commence as managed separately by your Builder.
- Construction can commence once Covenant Approval and Building Approval have both been achieved.

Lot design requirements – overview

The **minimum requirements** for your home have been summarised below. More detailed information can be found from page 12.

Avenue Outlook

Ideal for established **families looking for a leafy quiet street** neighbouring the highly sought-after *Park and Rainforest Outlook* homes.

Limited lots from 500m² to 700m² subject to stage release.

- < 600m² minimum internal living area of 135m² (excludes garage, patios and shed).
- ≥ 600m² minimum internal living area of 155m² (excludes verandahs, patios, porches, garages and sheds).
- Maximum 15m designated built to boundary for garage, laundry, bathroom and/or shed for lots < 600m².
- Minimum home width 75% of lot frontage as measured from house eaves.
- A minimum 5° skillion or a minimum 25° hipped roof applies. Skillion roof pitch is mandatory to specific lots – see our Estate Manager.

Park Outlook

Large lots for **active, nature loving families** overlooking the splendour of an environmentally integrated, multi-functional playground and park fronting Kearns Creek.

Limited lots from 540m² to 750m² subject to stage release.

- < 600m² minimum internal living area of 135m² (excludes verandahs, patios, porches, garages and sheds).
- > 600m² minimum internal living area of 155m² (excludes verandahs, patios, porches, garages and sheds).
- Minimum home width 75% of lot frontage as measured from house eaves.
- A minimum 5° skillion or a minimum 25° hipped roof pitch applies.

Rainforest Outlook

These lots are *'kissed by nature'*. Large living for **nature loving families** backing onto the tranquillity of World Heritage National Park.

Limited lots from 600m² to 1,100m² subject to stage release.

• Minimum internal living area of 155m² (excludes verandahs, patios, porches, garages and sheds).


- Minimum home width 75% of lot frontage as measured from house eaves. Where the lot width is > 20m, a house minimum house width of 16m, including eaves, is required.
- A minimum 5° skillion or a minimum 25° hipped roof applies. Skillion roof pitch is mandatory to specific lots – see our Estate Manager.

Infinity Outlook

Immerse yourself in the best that nature has to offer as these lots are truly kissed by its bounty. Large architectural styled living for **families who love to entertain** overlooking the magnificence of the Great Dividing Range both near and far. Some also back onto the tranquillity of World Heritage National Park.

Limited lots from 600m² to 1,100m² subject to stage release.

- Minimum internal living area of 175m² (excludes verandahs, patios, porches, garages and sheds).
- A minimum 5° skillion or a minimum 25° hipped roof applies. Skillion roof pitch is mandatory to specific lots – see our Estate Manager.



Siting your home





We've **taken the guesswork out of siting your home** on the lot, by nominating your garage/driveway location (as shown on the sales plan) so that your living spaces can optimise natural light and minimise heat load from the west. This has an important **positive impact to liveability and the energy efficiency of your home**.

When considering home and landscape designs, please consider these key matters:

- Capturing the benefit of **cooling breezes with cross ventilation** to living spaces.
- Orientating living spaces (lounge, dining, kitchen and bedrooms) to the north and east to **minimise internal heat load from the western sun**.
- Planting that provides passive cooling by **shading the western elevation** of the home.
- Planning how backyard overland drainage will discharge to the road should inground drains fail.
- Locating and screening of stored boats, trailers and caravans from the front roadway view.
- Locating and screening of unsightly objects and fixtures such as garbage bins, air conditioning condensers, solar panels, rainwater tanks, gas bottles, clotheslines and antenna away from the front roadway view.




Diagram 1.1 - Siting your home

Boundary setbacks for lots under 600m²




Lots under 600m² have a pre-approved Council building envelope. This permits you to build non-habitable rooms (garage, bathroom, laundry and/or shed) on one designated side boundary up to 15.0m in length. Such a feature allows you to optimise the lot for **creating the largest backyard possible**.

Built to boundary walls must be set off the side boundary to a maximum of 0.3m to the outermost projection. This is to facilitate the construction of a gutter and an overland drainage path from the backyard to the road. Where retaining is required, a separate maintenance free structure i.e. masonry block is encouraged on the boundary.


Side and rear boundary setbacks are to be 1.5m minimum.

Setbacks are measured to the outermost projection of the building i.e. the fascia board of the roof eave.

See Lot design requirements – overview (page 8) for front boundary setbacks.










Diagram 2.3 – Boundary setbacks for lots under 600m²

Boundary setbacks for lots 600m² and above





Lots 600m² and above require a minimum 1.5m side setback. This allows multiple side access to your backyard.




Diagram 2.4 – Boundary setbacks for lots 600m² and above

Setbacks are measured to the outermost projection of the building i.e. the fascia board of the eave.

See lot requirements – overview (p.8) for front boundary setbacks.




Diagram 2.5 – Boundary setbacks for lots 600m² and above

Building style





A contemporary design approach to climate and materials is required. Heritage Queensland replica styles are not considered suitable for The Outlook.

A mix of at least three façade treatment materials is required for the front road view (front door is included). The finish of the garage door is excluded from being one of the façade treatment materials. Façade feature treatments must continue the finish treatment along the side elevation of the home for 2.5m back from the corner of the house.

Acceptable wall material finishes include:

Painted rendered masonry, tiles, brick, dressed stone, painted/stained timber and painted prefinished fibrous cement cladding (see image left).

Front building width

All Real Estate Agents will advise you how important a home's street appeal is to the resale value of your home. The minimum front building width requirement is there to support that investment goal.

Building width is measured from the outermost projections on opposite sides of the home nearest to the front road.

• Minimum home width of lot frontage as measured from eaves is 75% (see diagram 3.1)

These requirements are for single storey homes built on Avenue, Park or Rainforest Outlook home sites. Infinity Outlook and two storey home front building widths can be narrower and will be assessed on the architectural merit of the design. Please speak to our Estate Manager.

See lot design requirements – overview (p. 8) for more information.

Wing walls with the objective of increasing the width are not permitted.




Diagram 3.1 - Front building width

Vehicle and vessel accommodation





Garages are to be accessed from the front roadway as nominated on the sales plan. It is recommended they be recessed back from the front home façade to minimise the visual impact of garages have on the **streetscape**.

Double garage accommodation is to be provided as a minimum to each lot under the same roof of the main dwelling. Carports are not permitted.




Diagram 4.1 - Vehicle and vessel accommodation

Acceptable driveway materials include: Exposed aggregate concrete, colour oxide premixed concrete and tile.

Storage of caravans, trailers, boats etc. is to be behind the front building alignment so as not to be visible from the front roadway.

Should you own or plan to own multiple recreational or work vehicles such as a caravan, trailer, boat or similar and wish to store it at your residence, you need to purchase a lot with side access in order to store it. For more information on lots with side access, speak to our Estate Manager.




Diagram 4.2 - Vehicle and vessel accommodation

Roofing





Roofs must be clad in non-reflective finished standard corrugated profiled metal roofing (e.g. Colorbond[®]). Curved roof forms will be considered on their merit along with combinations of pitched and flat roofs with parapets.

In order to optimise the wider views beyond the estate, specific lots have mandatory skillion/parapet roof requirements, to prevent the views from the higher lot(s) behind and or to the side(s), from being overly obstructed. These lots will require to have a single storey home built. These lots will be identified on the sales plan.

Eaves are a minimum of 0.45m. Lots with a built to boundary Council approval do not require an eave to the specified side boundary. The eave must return for 1m along the boundary side wall (see diagram 5.1).

Light natural colours are encouraged to minimise the internal heat load and optimise the energy rating of your home.




Diagram 5.1 - Roofing

1.45m

External fixtures





External fixtures

Air conditioners are to be located below and behind visually closed side and return fencing.

Television antennas are to be internalised within the roof cavity. Satellite dishes are to be located to the rear of the home, below the roof line.

Solar hot water storage units and power generating panels are to be fixed parallel to the roof and not perched on framing at odds with the roof pitch. Solar panels are not to be fixed to roof elevations facing the front road access.

Gas bottles, hot water storage tanks, rain water tanks and clotheslines are to be located away from the front road view behind closed side and return fencing.

Letterboxes

Letterboxes must be in character with your home and preferably constructed using materials and colours consistent with your home. Temporary letterboxes are not permitted. Security parcel delivery letterboxes are encouraged.



The Outlook base letterbox (minimum standard)

Sheds

Sheds must be located away from the view of the front road access to the lot. They may not be located directly on the side or back boundaries as a substitute for fencing and must be painted steel to complement the home's roof.

Sheds equal to and less than 36m² site cover are permissible on all lots and are to be a maximum 2.4m high.

Shed locations must be submitted as part of the landscape and fencing plans and approved as part of covenant approval process. No shed is to be constructed without approval.

Landscape design

It's important to get the most out of the front and backyards to provide character, shade, light and colour to enhance your lifestyle and minimise maintenance. Front yard landscaping as well as side and back fencing must be completed before the home is occupied.

The front garden is often overlooked as a usable space. It adds to the distinctiveness of your address and importantly, gives it street appeal.

In addition to the street trees planted on the nature strip, you are required to have a minimum front garden of 10m² which is edged, mulched and planted with two, 45L shade trees (nominally 1.5m high). Palms are not a substitute for this requirement.

Landscape design should consider the following:

- Relationship with neighbouring lots in terms of privacy and shading.
- Aspect of the lot in terms of breezes and views.
- Selecting plant species that are appropriate in size with the garden area.
- Surface and overland drainage of the garden and lawn areas.
- Need for usable outdoor spaces such as lawn areas.



Boundary fencing





Fencing is an important investment in your privacy as well as the security of children and pets.

Diagram 6.1 and the 'Fencing Outline' table provide an overview of the fencing requirements.




Diagram 6.1 - Fencing



Compulsory Fences - Applies to all lots

	Style of Fence	Paint	Capping	Requirements	lmage ref.
Side fence	1.8m high closed timber fence.	Painted/ stained or unpainted.	Steel or timber.	Side fence must terminate with a return of 0.3m minimum from the front building alignment or if the house is stepped, the nearest front building alignment to the side boundary.	А, В
Return fence	1.6m minimum high timber fence or powder coated aluminium or horizontal timber fence.	Painted or stained.	Uncapped steel or timber.	Return fence to complete with a gate (gate to be wide enough for vehicle and vessel access) and suit the home style and colour.	A, B, C, D, E, F
Back fence	1.8m high closed timber fence.	Painted/ stained or unpainted.	Steel or timber.		А, В

Non-compulsory Fences - Applies to selected lots

	Style of Fence	Paint	Capping	Finishing	lmage ref.
Corner lots	1.8m high closed timber fence.	Painted in estate feature colour.	Timber	As constructed by the developer, to the longest boundary (minimum standard). Remaining fencing (side, return & back) to be completed by resident.	N/A
All lots	1.2m high powder coated aluminium open pool fence with 125mm stained timber posts.	Black powder coated.	None	As constructed by resident. Maximum application 50% of the lot width. Driveway and pedestrian entries are to remain free of fencing. To be integrated with planting. Metal capping on timber posts recommended to avoid rotting.	G

Style of Fence	Paint	Capping	Finishing	lmage ref.
1.8m high closed timber fence or	Painted/ stained or unpainted.	Steel or timber.		A,B
1.6m high black PVC coated chain wire mesh fence or	Black PVC coated.	None	UV treated and galvanised steel with PVC coating for Australian conditions (anti-corrosive protection).	н
1.2m high powder coated aluminium open pool fence with 125mm stained timber posts.	Black powder coated.	None		I
1.8m high closed timber fence or	Painted/ stained or unpainted.	Steel or timber.		A,B
1.6m high black PVC coated chain wire mesh fence or	Black PVC coated.	None	UV treated and galvanised steel with PVC coating for Australian conditions (anti-corrosive protection).	Н
1.2m high powder coated aluminium open pool fence with 125mm stained timber posts.	Black powder coated.	None		I
	 1.8m high closed timber fence or 1.6m high black PVC coated chain wire mesh fence or 1.2m high powder coated aluminium open pool fence with 125mm stained timber posts. 1.8m high closed timber fence or 1.6m high black PVC coated chain wire mesh fence or 1.2m high powder coated aluminium open pool fence with 125mm stained timber 	1.8m high closed timber fence orPainted/ stained or unpainted.1.6m high black PVC coated chain wire mesh fence orBlack PVC coated.1.2m high powder coated aluminium open pool fence with 125mm stained timber posts.Black powder coated.1.8m high closed timber fence orPainted/ stained or unpainted.1.6m high black PVC coated chain wire mesh fence orBlack powder coated.1.6m high black PVC coated chain wire mesh fence orBlack PVC coated.1.6m high black pVC coated chain wire mesh fence orBlack PVC coated.1.2m high powder coated aluminium open pool fence with 125mm stained timberBlack pVC coated.	1.8m high closed timber fence orPainted/ stained or unpainted.Steel or timber.1.6m high black PVC coated chain wire mesh fence orBlack PVC coated.None1.2m high powder coated aluminium open pool fence with 125mm stained timber posts.Black powder coated.None1.8m high closed timber fence orPainted/ stained or unpainted.Steel or timber.1.8m high closed timber fence orPainted/ stained or unpainted.Steel or timber.1.6m high black PVC coated chain wire mesh fence orBlack PVC coated.Steel or timber.1.2m high powder coated chain wire mesh fence orBlack PVC coated.Steel or timber.1.2m high powder coated aluminium open pool fence with 125mm stained timberBlack PVC coated.None1.2m high powder coated aluminium open pool fence with 125mm stained timberBlack powder coated.None	1.8m high closed timber fence orPainted/ stained or unpainted.Steel or timber.UV treated and galvanised steel with PVC coated chain or1.6m high black PVC coated chain wire mesh fence orBlack PVC coated.NoneUV treated and galvanised steel with PVC coating for Australian conditions (anti-corrosive protection).1.2m high powder coated aluminium open pool fence with 125mm stained timber posts.Black powder coated.NoneUV treated and galvanised steel with 25mm stained timber posts.1.8m high closed timber fence orPainted/ stained or unpainted.Steel or timber.UV treated and galvanised steel with 25mm stained timber or1.6m high black PVC coated chain wire mesh fence orBlack PVC coated.Steel or timber.UV treated and galvanised steel with PVC coating for Australian conditions (anti-corrosive protection).1.2m high powder coated aluminium open pool fence with 125mm stained timberBlack PVC coated.None1.2m high powder coated aluminium open pool fence with 125mm stained timberBlack powder coated.None

Rainforest Boundary Fences - Applies to selected lots



Retaining walls

Retaining walls that face the road need to have a positive impact on the quality of the streetscape and ensure car and pedestrian access to and from the lot as well as along the street is safe.

No retaining walls are to be greater than 0.9m high. Where greater heights are needed to be retained, walls are to be stepped. Walls shall be screened with planting and can be constructed of either stone, stained timber sleepers, painted rendered masonry to complement the home façade or prefinished masonry mortar-less walls.






Diagram 7.1 - Retaining walls





Resale

Upon the resale of your home, you must have the new buyers sign the Deed Poll (which forms part of your Land Sales Contract), transferring the requirements of the covenant to the new owners. If this is not completed, the covenant obligations will remain your responsibility.

Build your dream home at The Outlook

Green's

Vanilla Cake

WEEK

Kissed by Nature



Land Sales Office and Display Village Corner Walker Road & Newland Court, Bentley Park, Cairns Qld 4869 Phone: (07) 4051 4422 | enquiries@outlookland.com.au

Disclaimer: This booklet supplements the standard sales Contract for lots in The Outlook. It is intended to illustrate how the building covenants in the standard Contract are likely to apply. Maps, diagrams, photographs, drawings and plans in the booklet are only indicative and not necessarily to scale. It is recommended that buyers should seek expert advice (e.g. from a builder or architect), regarding the building covenants' implications, before buying a lot in The Outlook. The booklet is not intended as a substitute for the building covenants. It should be read in conjunction with them and if there is any difference between the building covenants and the booklet, the building covenants must be followed. Printed February 2019. E29888.



