



# Kissed by Nature

BUILDING COVENANT OUTLINE


THE OUTLOOK™

## CONTENTS

---

- 5 The Fortress Advantage
- 6 Covenant approval process
- 8 Lot design requirements – overview
- 10 Siting your home
- 12 Boundary setbacks for lots under 600m<sup>2</sup>
- 14 Boundary setbacks for lots 600m<sup>2</sup> and above
- 16 Facade and building style
- 18 Vehicle and vessel accommodation
- 18 Driveways
- 20 Roofing
- 22 External fixtures
- 24 Landscape design
- 26 Boundary fencing
- 30 Retaining walls
- 30 Resale

# Nothing compares to The Outlook





The Outlook provides the perfect canvas for you to bring your dream home to life. Set amongst the backdrop of a World Heritage National Park, The Outlook is a niche residential community providing a range of elevated home sites with panoramic views whilst providing privacy with less neighbours and more rainforest.

This building covenant outline summarises housing and landscape requirements for residential lots in order to build great streetscapes that we can all proudly call home.

The outline plays an essential role in assisting you to plan and design your dream home specific to your lifestyle with the bonus of capturing the best that nature has to offer.

The Fortress Group has consistently achieved high standards of residential development through building covenants making many families happy that they chose a Fortress Community Development.



THE OUTLOOK



At Fortress Group we  
create more than just a  
place to live, we create  
a connection to the  
environment and  
the community







## The Fortress Advantage

Building covenants set the standard towards optimising the street appeal of your neighbourhood as well as ensuring your home is well planned, attractive and remains a valuable asset over time.

For your benefit, Fortress has meticulously planned, designed and built your lot so that your Builder can best utilise natural light into your home and minimise afternoon heat load, by pre-determining the location of non-habitable space such as the garage.

Built to boundary applies to selected lots and allows you to build to a nominated side boundary for non-habitable rooms, to maximise your land to fit the biggest backyard possible.

Always refer to the Building Setback Plan for the individual requirements of the lot, or speak to our Estate Manager for more information.

We require you to build within 12 months from settlement to limit neighbourhood disturbance.

Occupancy is restricted until the lot is fenced and landscaped for child and pet safety.

Street trees are installed after the majority of homes are built within each land release, to give them every chance of maturing and the neighbourhood becoming a leafy green place.





# Covenant approval process





## Covenant approval process

The covenant approval process must be adhered to.

1. After speaking with one of our Estate Managers and before purchasing a lot, ensure that you speak to our **builder partners** to match your house space requirements with the land geometry and building covenants. The building covenant is a separate document to this outline and has been issued to most Cairns Builders.
2. After settlement of the land, your **Builder prepares working drawings** of the proposed home for Covenant Approval. The **Covenant Application** documents must be professional, dimensioned, to scale and include:
  - A **site plan** demonstrating compliance with boundary setbacks, earthworks complete with levels and ancillary structure requirements;
  - A house **floor plan** with area calculations to demonstrate compliance with minimum square meterage requirements;
  - Building **elevations** demonstrating compliance of roof pitch, façade treatments and minimum width requirements;
  - A **landscape plan and front fence elevations** (if front fence is desired) inclusive of materials and configuration of letterbox, fencing and retaining walls; and
  - A completed **Land Owner signed Application for Building Covenant Approval Checklist** as provided by the Estate Manager.
3. The Builder or the **Land Owner submits the working drawings** to the Estate Manager who will review for completeness and forward the documents for approval to the Covenant Review Panel.
4. The Covenant Review Panel will write to the Land Owner regarding **Covenant Approval** or changes that need to be made before approval can be granted by the Developer. Building Approval from Cairns Regional Council or a Building Certifier can now commence as managed separately by your Builder.
5. Construction can commence once Covenant Approval and **Building Approval** have both been achieved.

# Lot design requirements – overview

The **minimum requirements** for your home have been summarised below. More detailed information can be found from page 12.

## Avenue Outlook

Ideal for established **families looking for a leafy quiet street** neighbouring the highly sought-after *Park and Rainforest Outlook* homes.

Limited lots from 500m<sup>2</sup> to 700m<sup>2</sup> subject to stage release.

- < 600m<sup>2</sup> minimum internal living area of 135m<sup>2</sup> (excludes garage, patios and shed).
- ≥ 600m<sup>2</sup> minimum internal living area of 155m<sup>2</sup> (excludes verandahs, patios, porches, garages and sheds).
- Maximum 15m designated built to boundary for garage, laundry, bathroom and/or shed for lots < 600m<sup>2</sup>.
- Minimum home width 75% of lot frontage as measured from house eaves.
- A minimum 5° skillion or a minimum 25° hipped roof applies. Skillion roof pitch is mandatory to specific lots – see our Estate Manager.

## Park Outlook

Large lots for **active, nature loving families** overlooking the splendour of an environmentally integrated, multi-functional playground and park fronting Kearns Creek.

Limited lots from 540m<sup>2</sup> to 750m<sup>2</sup> subject to stage release.

- < 600m<sup>2</sup> minimum internal living area of 135m<sup>2</sup> (excludes verandahs, patios, porches, garages and sheds).
- ≥ 600m<sup>2</sup> minimum internal living area of 155m<sup>2</sup> (excludes verandahs, patios, porches, garages and sheds).
- Minimum home width 75% of lot frontage as measured from house eaves.
- A minimum 5° skillion or a minimum 25° hipped roof pitch applies.

## Rainforest Outlook

These lots are '*kissed by nature*'. Large living for **nature loving families** backing onto the tranquillity of World Heritage National Park.

Limited lots from 600m<sup>2</sup> to 1,100m<sup>2</sup> subject to stage release.

- Minimum internal living area of 155m<sup>2</sup> (excludes verandahs, patios, porches, garages and sheds).



- Minimum home width 75% of lot frontage as measured from house eaves. Where the lot width is > 20m, a house minimum house width of 16m, including eaves, is required.
- A minimum 5° skillion or a minimum 25° hipped roof applies. Skillion roof pitch is mandatory to specific lots – see our Estate Manager.

## Infinity Outlook

Immerse yourself in the best that nature has to offer as these lots are truly kissed by its bounty. Large architectural styled living for **families who love to entertain** overlooking the magnificence of the Great Dividing Range both near and far. Some also back onto the tranquillity of World Heritage National Park.

Limited lots from 600m<sup>2</sup> to 1,100m<sup>2</sup> subject to stage release.

- Minimum internal living area of 175m<sup>2</sup> (excludes verandahs, patios, porches, garages and sheds).
- A minimum 5° skillion or a minimum 25° hipped roof applies. Skillion roof pitch is mandatory to specific lots – see our Estate Manager.



# Siting your home







We've **taken the guesswork out of siting your home** on the lot, by nominating your garage/driveway location (as shown on the sales plan) so that your living spaces can optimise natural light and minimise heat load from the west. This has an important **positive impact to liveability and the energy efficiency of your home**.

When considering home and landscape designs, please consider these key matters:

- Capturing the benefit of **cooling breezes with cross ventilation** to living spaces.
- Orientating living spaces (lounge, dining, kitchen and bedrooms) to the north and east to **minimise internal heat load from the western sun**.
- Planting that provides passive cooling by **shading the western elevation** of the home.
- Planning how **backyard overland drainage** will discharge to the road should inground drains fail.
- **Locating and screening of stored boats, trailers and caravans** from the front roadway view.
- **Locating and screening of unsightly objects and fixtures** such as garbage bins, air conditioning condensers, solar panels, rainwater tanks, gas bottles, clotheslines and antenna away from the front roadway view.




Diagram 1.1 - Siting your home

# Boundary setbacks for lots under 600m<sup>2</sup>





All lots under 600m<sup>2</sup> have a pre-approved Council building envelope. This permits you to build non-habitable rooms (garage, bathroom, laundry and/or shed) on one designated side boundary up to 15.0m in length. Such a feature allows you to optimise the lot for **creating the largest backyard possible**.

## Built to Boundary Requirement

### Compulsory for lots 15m or below:

Built to boundary walls must be set off the side boundary to a maximum of 0.45m to the outermost projection and be up to a maximum of 15m in length.

### Optional for lots 16m - 18m:

For lots 16m or above, in most cases, built to boundary and return eave requirement does not apply. Refer to the Building Setback Plan for the individual lot requirements.

## Side and Rear Setbacks

If the lot is not built to boundary, it must still be built within the designated building location envelope. Side and rear boundary setbacks are generally 1.5m minimum. Refer to the relevant Building Setback Plan for the individual requirements of the lot.

Setbacks are measured to the outermost projection of the building i.e. the fascia board of the roof eave.

See Lot design requirements – overview (page 8) for front boundary setbacks.

## Retaining

Where retaining is required, a separate maintenance free structure i.e. masonry block is encouraged on the boundary.




Diagram 2.1 – Boundary setbacks for lots under 600m<sup>2</sup>




Diagram 2.2 – Boundary setbacks for lots under 600m<sup>2</sup>




Diagram 2.3 – Boundary setbacks for lots under 600m<sup>2</sup>

# Boundary setbacks for lots 600m<sup>2</sup> and above







Lots 600m<sup>2</sup> and above require a minimum 1.5m side setback. This allows multiple side access to your backyard.




Diagram 2.4 – Boundary setbacks for lots 600m<sup>2</sup> and above

Setbacks are measured to the outermost projection of the building i.e. the fascia board of the eave.

See lot requirements – overview (p.8) for front boundary setbacks.




Diagram 2.5 – Boundary setbacks for lots 600m<sup>2</sup> and above

# Facade and building style







A mix of at least **3 façade treatment materials** is required for the front road view (front door is included). The finish to the garage door is excluded from being considered as one of the façade treatment materials. Façade feature treatments must continue the finish treatment along the side elevation of the home for 2.5m back from the corner of the house.

**Acceptable wall material finishes include:**

Painted rendered masonry, tiles, brick, dressed stone, painted/stained timber and painted prefinished fibrous cement cladding. (See image left).

A contemporary design approach to climate and materials is required. Heritage Queensland replica styles are not considered suitable for The Outlook.

### Front building width

All Real Estate Agents will advise you how important a home's street appeal is to the resale value of your home. The minimum front building width requirement is there to support that investment goal.

Building width is measured from the outermost projections on opposite sides of the home nearest to the front road.

- Minimum home width of lot frontage as measured from eaves is 75% (see diagram 3.1)

These requirements are for single storey homes built on Avenue, Park or Rainforest Outlook home sites. Infinity Outlook and two storey home front building widths can be narrower and will be assessed on the architectural merit of the design. Please speak to our Estate Manager.

See lot design requirements – overview (p. 8) for more information.

Wing walls with the objective of increasing the width are not permitted.




Diagram 3.1 – Front building width

# Vehicle and vessel accommodation







## Driveways

A maximum of one driveway per dwelling is allowed. Driveways are to be exposed aggregate concrete and must be completed prior to occupation of the dwelling.

Driveways must comply with local government standards as well as these Covenants.

Where there is a footpath within the verge, the footpath should be cut at the nearest joint and the footpath reinstated to the driveway without compromising the structural integrity of the footpath.

Storage of caravans, trailers, boats etc. is to be behind the front building alignment so as not to be visible from the front roadway.

Should you own or plan to own multiple recreational or work vehicles such as a caravan, trailer, boat or similar and wish to store it at your residence, you need to purchase a lot with side access to store it. For more information on lots with side access, speak to our Estate Manager.

## Garages

All homes must provide a double garage at a minimum. Carports are not permitted.

Triple garages may be acceptable if it can be demonstrated that they will not adversely impact the streetscape and where the alignment of the third garage is offset 800mm or more.

The design of the garage must be consistent with the architecture of the home in terms of height, roof form, detail and building materials.

Garages must not project forward of the main building line.




Diagram 4.1 - Vehicle and vessel accommodation




Diagram 4.2 - Vehicle and vessel accommodation

# Roofing







Roofs must be clad in non-reflective finished standard corrugated profiled metal roofing (e.g. Colorbond®). Curved roof forms will be considered on their merit along with combinations of pitched and flat roofs with parapets.

In order to optimise the wider views beyond the estate, specific lots have mandatory skillion/parapet roof requirements, to prevent the views from the higher lot(s) behind and or to the side(s), from being overly obstructed. These lots will require to have a single storey home built. These lots will be identified on the sales plan.

Light natural colours are encouraged to minimise the internal heat load and optimise the energy rating of your home.

Eaves are a minimum of 0.45m wide.

# External fixtures







## External fixtures

Air conditioners are to be located below and behind visually closed side and return fencing.

Television antennas are to be internalised within the roof cavity. Satellite dishes are to be located to the rear of the home, below the roof line.

Solar hot water storage units and power generating panels are to be fixed parallel to the roof and not perched on framing at odds with the roof pitch. Solar panels are not to be fixed to roof elevations facing the front road access.

Gas bottles, hot water storage tanks, rain water tanks and clotheslines are to be located away from the front road view behind closed side and return fencing.

## Letterboxes

Letterboxes must be in character with your home and preferably constructed using materials and colours consistent with your home. Temporary letterboxes are not permitted. Security parcel delivery letterboxes are encouraged.



*The Outlook base letterbox (minimum standard)*

## Sheds

Sheds must be located rear of the front building alignment and not be visible from the view of the front road access to the lot. They may not be located directly on the side or back boundaries as a substitute for fencing and must be painted steel to complement the home's roof.

Sheds equal to and less than 36m<sup>2</sup> site cover are permissible on all lots and are to be a maximum 2.4m high.

Shed locations must be submitted as part of the landscape and fencing plans and approved as part of covenant approval process. No shed is to be constructed without approval.

# Landscape design

As soon as reasonably practicable upon the construction completion of your new home you are required to landscape your lot with turf and gardens.

You are required to plant a minimum **two, 45L shade trees (nominally 1.5m high)** in the front yard. Palms are not a substitute for this requirement.

It's important to get the most out of the front and backyards to provide character, shade, light and colour to enhance your lifestyle and minimise maintenance. Front yard landscaping as well as side and back fencing must be completed before the home is occupied.

The front garden is often overlooked as a usable space. It adds to the distinctiveness of your address and importantly, gives it street appeal.

## **Landscape design should consider the following:**

- Relationship with neighbouring lots in terms of privacy and shading.
- Aspect of the lot in terms of breezes and views.
- Selecting plant species that are appropriate in size with the garden area.
- Surface and overland drainage of the garden and lawn areas.
- Need for useable outdoor spaces such as lawn areas.









# Boundary fencing







Fencing is an important investment in your privacy as well as the security of children and pets.

Back, side and return fences must be completed before practical completion of your home.

Diagram 6.1 and the 'Fencing Outline' table provides an overview of the fencing requirements.







Diagram 6.1 - Fencing



## Compulsory Fences - Applies to all lots

	Style of Fence	Paint	Capping	Requirements	Image ref.
Side fence 	1.8m high closed timber fence.	Painted/ stained or unpainted.	Steel or timber.	Side fence must terminate with a return of 0.3m minimum from the front building alignment or if the house is stepped, the nearest front building alignment to the side boundary.	A, B
Return fence 	1.6m minimum high timber fence or powder coated aluminium or horizontal timber fence.	Painted or stained.	Uncapped steel or timber.	Return fence to complete with a gate (gate to be wide enough for vehicle and vessel access) and suit the home style and colour.	A, B, C, D, E, F
Back fence 	1.8m high closed timber fence.	Painted/ stained or unpainted.	Steel or timber.		A, B

## Non-compulsory Fences - Applies to selected lots

	Style of Fence	Paint	Capping	Finishing	Image ref.
Corner lots	1.8m high closed timber fence.	Painted in estate feature colour.	Timber	As constructed by the developer, to the longest boundary (minimum standard). Remaining fencing (side, return & back) to be completed by resident.	N/A
Front Fence	1.2m high powder coated aluminium open pool fence with 125mm square stained hardwood timber posts.	Black powder coated.	None	As constructed by resident. Maximum application 50% of the lot width. Driveway and pedestrian entries are to remain free of fencing. To be integrated with planting. Metal capping on timber posts recommended to avoid rotting. Painting of fence to compliment house.	G



## Rainforest Boundary Fences - Applies to selected lots

	Style of Fence	Paint	Capping	Finishing	Image ref.
Side fence at rainforest boundary*	1.8m high closed timber fence or	Painted/ stained or unpainted.	Steel or timber.		A,B
	1.6m high black PVC coated chain wire mesh fence or	Black PVC coated.	None	UV treated and galvanised steel with PVC coating for Australian conditions (anti-corrosive protection).	H
	1.2m high powder coated aluminium open pool fence with 125mm square stained hardwood timber posts.	Black powder coated.	None		I
Back fence at rainforest boundary*	1.8m high closed timber fence or	Painted/ stained or unpainted.	Steel or timber.		A,B
	1.6m high black PVC coated chain wire mesh fence or	Black PVC coated.	None	UV treated and galvanised steel with PVC coating for Australian conditions (anti-corrosive protection).	H
	1.2m high powder coated aluminium open pool fence with 125mm square stained hardwood timber posts.	Black powder coated.	None		I
* To use a mixture of styles please speak to the Estate Manager for options.					



# Retaining walls

Retaining walls that face the road need to have a positive impact on the quality of the streetscape and ensure car and pedestrian access to and from the lot as well as along the street is safe.

No retaining walls are to be greater than 0.9m high. Where greater heights are needed to be retained, walls are to be stepped. Walls shall be screened with planting and can be constructed of either stone, stained timber sleepers, painted rendered masonry to complement the home façade or prefinished masonry mortar-less walls.

## Resale

Upon the resale of your home, you must have the new buyers sign the Deed Poll (which forms part of your Land Sales Contract), transferring the requirements of the covenant to the new owners. If this is not completed, the covenant obligations will remain your responsibility even after you have sold the house.




Diagram 7.1 - Retaining walls




Diagram 7.2 - Retaining walls



Build your dream home  
at The Outlook



# Kissed by Nature



## Land Sales Office and Display Village

Corner Walker Road & Newland Court, Bentley Park, Cairns Qld 4869

Phone: (07) 4051 4422 | [enquiries@outlookland.com.au](mailto:enquiries@outlookland.com.au)

[www.outlookland.com.au](http://www.outlookland.com.au)

Disclaimer: This booklet supplements the standard sales Contract for lots in The Outlook. It is intended to illustrate how the building covenants in the standard Contract are likely to apply. Maps, diagrams, photographs, drawings and plans in the booklet are only indicative and not necessarily to scale. It is recommended that buyers should seek expert advice (e.g. from a builder or architect), regarding the building covenants' implications, before buying a lot in The Outlook. The booklet is not intended as a substitute for the building covenants. It should be read in conjunction with them and if there is any difference between the building covenants and the booklet, the building covenants must be followed. Printed February 2024. E29888.

